

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013193-R2
DATE: 05/17/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Air Master
CODE: 2142-1
REVISION DATE: 08/17/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Air Master Awning, LLC Road PR #2 interior KM 56.7 Barceloneta, PR 00617	Series "Continental" Aluminum Project-Out Awning Window Configuration: X Glazing: Monolithic- 1/8" Heat Strengthened Glass/0.090" Eastman Chemical Saflex PVB Interlayer/1/8" Heat Strengthened Glass or Insulating Glass- 1/4" Tempered Glass/1/8" Heat Strengthened Glass/0.090" Eastman Chemical Saflex PVB Interlayer/1/8" Heat Strengthened Glass Frame: W914mm(36") H-1829mm(72") Vent: W-823mm(32.44") H-1765mm(69.50") DLO: W-730mm(28.75") H-1673mm(65.88")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±3352 Pa (70 psf) Large Missile Impact Rated

Product Tested By: Blackwater Testing, Inc.
Report No: BT-AM-15-001
Expiration Date: **February 28, 2032**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com