NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI013198.02-R5
DATE: 10/03/2017
CERTIFICATION PROGRAM: Structural
COMPANY: YKK AP America
CODE: 860-1
REVISION DATE: 05/28/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. **101 Marietta Street NW, Suite 2100** **Atlanta, GA 30303**	**StyleView® No Trim** **(aka StyleView® Select)** **Fixed Vinyl Window** Configuration: O Glazing: Insulating Glass (Annealed) Frame: W-2019mm(79.5") H-2019mm(79.5") Sash: W-1886mm(74.25") H-1886mm(74.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	**Class R-PG50 2019 x 2019 (80 x 80)-FW** **Design Pressure: ±2400 Pa (50 psf)** **Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)**

Product Tested By: Architectural Testing, Incorporated
Report No: F3782.06-550-44/W-1836/W-1954/W-2179 /W-2190
Expiration Date: **December 31, 2030**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com