NOTICE OF PRODUCT CERTIFICATION



This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit <u>www.namicertification.com</u>. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION	
Guy C. Lee Millwork	JELD-WEN "Design Pro/Smooth Pro"	
1251 South Pollock Street	Fiberglass Opaque In-Swing or Out-Swing	
Selma, NC 27576	Side-Hinged Doors w/Glazed Sidelites	
	Configuration: OXXO Glazing: Insulating Glass (Tempered)	
	IS Frame: W-3778mm(148.75") H-2081mm(81.93")	
	OS Frame: W-3778mm(148.75") H-2063mm(81.25")	
	Panel: W-908mm(35.75") H-2012mm(79.25")	
	DLO: W-606mm(23.87") H-1587mm(62.50")	

SPEC	TIFICATION	PRODUCT RATING
TA	283-04/E330-02 AS 202-94 MA 1304-02	Design Pressure: +50/-50 psf Qualifies Configurations: OXX/XXO/OXXO
Product Tested By:	National Certified Testing Laboratories	
Report No:	NCTL-210-3918-02/NCTL-210-3925-03/SJW2013-196/SJW2013-195/SJW2013- 241/SJW2013-242/SJW2013-208-TAS/SJW2013-209-TAS/SJW2013-251/SJW2013- 252/SJW2013-253/NCTL-210-3925-03/NCTL-210-3918-02/SJW2014-032/NCTL-210- 3930-01/NCTL-210-3930-02/SJW2014-070/SJW2014-075/W-1664/W-1702	
Expiration Date:	<u>March 31, 2026</u>	
Administrator's Signature:		
	NATIONAL ACCR	REDITATION AND

MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072 Tel: (804) 684-5124 nami@namiinc.com