NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI013370.09-R7**
DATE:	**09/17/2016**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Ply Gem**
CODE:	**1408-1**
REVISION DATE:	**07/25/2024**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Ply Gem Window Group **433 North Main Street** **Rocky Mount, VA 24151**	**Series "1500"** **Triple Vinyl Single Hung** **(Integral Mullion)** Configuration: O/X//O/X//O/X Glazing: Insulating Glass (Annealed) Frame: W-2734mm(107.63") H-1865mm(73.44") Sash: W-836mm(32.94") H-900mm(35.44")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 **AAMA/WDMA/CSA 101/I.S.2/A440-11** **AAMA/WDMA/CSA 101/I.S.2/A440-08** **AAMA/WDMA/CSA 101/I.S.2/A440-05** **CSA A440S1-09**	**Class LC-PG50 2734 x 1865 (108 x 73)-H** **H-LC50 2734 x 1865 (108 x 73)** **Design Pressure: ±2400 Pa (50 psf)** **Positive Design Pressure: 2400 Pa (50 psf)** **Negative Design Pressure: 2640 Pa (55 psf)** **Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)** **Canadian Air Infiltration/Exfiltration Level: A2**

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-19353-3/NCTL-110-19353-1/W-1831/W-2112/W-2047/W-2125
Expiration Date: **June 30, 2028**

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com