

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013379-R1
DATE: 10/12/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Wojan
CODE: 2087-1
REVISION DATE: 02/01/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wojan Window & Door Corporation 217 Stover Road Charlevoix, MI 49720	Series "M950" Aluminum Fixed Window Configuration: O Glazing: Insulating Glass (Annealed) Frame: W-1524mm(60") H-2515mm(99") DLO: W-1435mm(56.5") H-2426mm(95.5")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class AW-PG50 1524 x 2515 (60 x 99)-FW FW-AW50 1524 x 2515 (60 x 99) Design Pressure: ±2400 Pa (50 psf) Water Penetration Resistance Test Pressure: 480 Pa(10.03 psf)

Product Tested By: Architectural Testing, Inc.
Report No: 98455.04-602-44
Expiration Date: **February 28, 2026**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "S.M.D.", written over a horizontal line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Nami@namiinc.com