

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013400-R2  
DATE: 11/02/2016  
CERTIFICATION PROGRAM: Structural  
COMPANY: Clayton  
CODE: 1983-1  
REVISION DATE: 03/31/2022

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Clayton Windows Corporation</b> <b>1765 Genesis Road</b> <b>Crossville, TN 38555</b>	<b>"800 Series Clayton Patio Door"</b> <b>Vinyl Sliding Door</b>  Configuration: OX Glazing: Insulating Glass (Tempered)  Frame: W-1816mm(71.5") H-2019mm(79.5") Panel: W-941mm(37.06") H-1953mm(76.87")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b>	<b>Class R-PG50 1816 x 2019 (72 x 80)</b> <b>SD-R50 1811 x 2019 (72 x 80)</b> <b>Design Pressure: ±2400 Pa (50 psf)</b> <b>Water Penetration Resistance Test Pressure: 360 Pa (7.5 psf)</b>

Product Tested By: Architectural Testing, Inc.  
Report No: B7273.01-201-44  
Expiration Date: March 31, 2026

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "Shi" or similar, written over a horizontal line.

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)