NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI013440.07-R3**
DATE:	**05/18/2017**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Continental Glass**
CODE:	**2103-1**
REVISION DATE:	**04/21/2026**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Continental Glass Systems, LLC **325 West 74 Place** **Hialeah, FL 33014**	**Series "3100"** **Aluminum Fixed Window Wall System** **w/Head Receptor** Configuration: OOO/O Glazing: Monolithic Laminate-1/4"Heat Strengthened Glass/0.090" Kuraray Sentry Glass Plus Interlayer/1/4"Heat Strengthened Glass or 1/4"Heat Strengthened Glass/0.075" Eastman Saflex CP Interlayer/1/4"Heat Strengthened Glass Frame: W-3893mm(153.25") H-3070mm(120.88") Panel: W-1168mm(46") H-3035mm(119.5")

SPECIFICATION	PRODUCT RATING
AAMA 501-15 **TAS 201/202/203-94**	**Design Pressure: 5267 Pa (110 psf)** **Large Missile Impact Rated**

Product Tested By: Fenestration Testing Laboratory, Inc
Report No: FTL 5246/FTL 4727/BT-CON-17-003/W-1975
Expiration Date: **May 31, 2028**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com