NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI013465.05-R5**
DATE:	**01/08/2017**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Prime Window**
CODE:	**2287-1**
REVISION DATE:	**07/09/2024**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Prime Window Systems **12775 East 38th Avenue** **Denver, CO 80239**	**Series "720"** **Vinyl Twin Casement Window** **(Fin or Finless Installation)** Configuration: X Glazing: Insulating Glass (Annealed) Frame: W-1829mm(72") H-1829mm(72") Vent: W-875mm(34.44") H-1781mm(70.12")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 **AAMA/WDMA/CSA 101/I.S.2/A440-08**	**Class LC-PG50 1829 x 1829 (72 x 72)-C** **Design Pressure: ±2400 Pa (50 psf)** **Water Penetration Resistance Test Pressure: 440 Pa (9.19 psf)**

Product Tested By: Architectural Testing, Inc.
Report No: E1444.02-801-47/E1438.02-801-47/W-2058
Expiration Date: **October 31, 2028**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com