

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013486.01-R4  
**DATE:** 01/26/2017  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Central Lumber  
**CODE:** 2305-1  
**REVISION DATE:** 12/12/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Central Lumber Sales, Inc.</b> <b>439 A Street</b> <b>Lincoln, NE 68502</b>	<b>Steel Glazed In-Swing</b> <b>Side-Hinged Door w/Sidelites</b>  Glazing: Insulating Glass (Tempered) Qualified Configurations: O, X, OX, XO, OXO, OOX, XO  Frame: W-2870mm(113") H-2083mm(82")  Panel: W-914mm(36") H-2013mm(79.25")  Sidelite: W-914mm(36") H-2013mm(79.25")

SPECIFICATION	PRODUCT RATING
<b>AAMA 1702.2-95/02</b> <b>Federal Manufactured Home Construction</b> <b>&amp; Safety Standard 3280.305</b> (applicable sub-sections)	<b>Manufactured Housing:</b> <b>Wind Zone II</b> <b>Design Wind Pressure Rating</b> <b>+38/-38 psf</b> (Excluding 36" from each corner of the sidewalls or endwalls)

Product Tested By: Architectural Testing, Inc.  
Report No: A4929.01-501-47/W-1740/W-1802  
Expiration Date: **January 31, 2025**

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)