NOTICE OF PRODUCT CERTIFICATION

DITED CERTIFICATIO		
St JAN ACCREDIT	CERTIFICATION NO:	NI013487-R4
	DATE:	01/26/2017
Z (NAMI)	CERTIFICATION PROGRAM:	<u>Structural</u>
	COMPANY:	<u>Central Lumber</u>
That GEMENT INSTITUT	CODE:	<u>2305-1</u>
ERTIFIED BRODUC	REVISION DATE:	<u>12/12/2022</u>
TED PRO		

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION	
Central Lumber Sales, Inc.	"Smooth Star & Fiber Classic" Fiberglass	
439 A Street	Opaque In-Swing Side-Hinged Door	
Lincoln, NE 68502	w/Sidelites	
	Glazing: Insulating Glass (Tempered) Qualified Configurations: O, X, OX, XO, OXO, OOX, XOO	
	Frame: W-1743mm(68.63") H-2084mm(82.03")	
	Panel: W-914mm(36") H-2013mm(79.25")	
	Sidelite: W-354mm(13.94") H-2013mm(79.25")	

SPECIFICATION

AAMA 1702.2-95/02 **Federal Manufactured Home Construction** & Safety Standard 3280.305 (applicable sub-sections)

PRODUCT RATING

Manufactured Housing: Wind Zone II **Design Wind Pressure Rating** +38/-38 psf (Excluding 36" from each corner of the sidewalls or endwalls)

Product Tested By: Report No: Expiration Date:

Architectural Testing, Inc. A4929.01-501-47/W-1738/W-1748/W-1802 January 31, 2025

Administrator's Signature:

NATIONAL ACCREDITATION AND **MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124

nami@namiinc.com