

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013487.01-R4
DATE: 01/26/2017
CERTIFICATION PROGRAM: Structural
COMPANY: Central Lumber
CODE: 2305-1
REVISION DATE: 12/12/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|--|--|
| Central Lumber Sales, Inc. 439 A Street Lincoln, NE 68502 | “Smooth Star & Fiber Classic” Fiberglass Glazed In-Swing Side-Hinged Door w/Sidelites Glazing: Insulating Glass (Tempered) Qualified Configurations: O, X, OX, XO, OXO, OOX, XOO Frame: W-2870mm(113") H-2083mm(82") Panel: W-914mm(36") H-2013mm(79.25") Sidelite: W-914mm(36") H-2013mm(79.25") |

| SPECIFICATION | PRODUCT RATING |
|---|--|
| AAMA 1702.2-95/02 Federal Manufactured Home Construction & Safety Standard 3280.305 (applicable sub-sections) | Manufactured Housing: Wind Zone II Design Wind Pressure Rating +38/-38 psf (Excluding 36" from each corner of the sidewalls or endwalls) |

Product Tested By: Architectural Testing, Inc.
Report No: A4929.01-501-47/W-1739/W-1748/W-1802
Expiration Date: **January 31, 2025**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com