

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013491-R4
DATE: 01/31/2017
CERTIFICATION PROGRAM: Structural
COMPANY: Maxim
CODE: 1256-1
REVISION DATE: 05/15/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Maxim Industries, Inc. 201 Longhorn Road Fort Worth, Texas 76179	Series "BCM" Aluminum Skylight Configuration: O Glazing: Outer Dome-Covestro SL or PalRam UV Enhanced Polycarbonate Dome/Inner Dome-Gallina PoliCarb 5Layer RDC Multi-Wall Polycarbonate Frame: W-1842mm(72.5") H-1842mm(72.5") DLO: W-1778mm(70") H-1778mm(70")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM E1886-13a/E1996-12 TAS 201/202/203-94	SKP-PG60 1842 x 1842 (73 x 73) Design Pressure: 2873 Pa (60 psf) Water Penetration Resistance Test Pressure: 440 Pa (9.19 psf) Wind Zone 4 - Missile Level D Large Missile Impact Rated

Product Tested By: Architectural Testing, Inc.
Report No: G5934.01-801-18/G5934.02-801-18/G5934.03-801-18
Expiration Date: **January 31, 2028**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com

NOPC-03/30/2023