NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI013635-R3
DATE: 03/09/2017
CERTIFICATION PROGRAM: Structural
COMPANY: Jolong
CODE: 2280-1
REVISION DATE: 09/13/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Qingdao Jolong Window & Curtain Wall Co., Ltd. **6 Jinquan 1st Road, Jimo Dist., Qingdao** **Shandong Province, China**	**Series "JL70–AW-TB"** **Thermally-Broken Aluminum** **Awning Window** Configuration: X Glazing: Insulating Glass (Tempered) Frame: W-1250mm(49.21") H-1500mm(59.06") Vent: W-1206mm(47.48") H-1456mm(57.32") DLO: W-1081mm(42.56") H-1331mm(52.4")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	**Class CW-PG30 1250 x 1500 (49 x 59)-AP** **Design Pressure: ±1440 Pa (30 psf)** **Water Penetration Resistance Test Pressure: 470 Pa (9.82 psf)**

Product Tested By: Intertek Testing Services, Ltd.
Report No: 161209006SHF-BP-10
Expiration Date: **September 30, 2033**

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com