

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013652-R2
DATE: 03/13/2017
CERTIFICATION PROGRAM: Structural
COMPANY: Peak Windows
CODE: 2327-1
EXPIRATION DATE: 01/17/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Peak Windows 3821 North 200 W. Hyde Park, UT 84318	Series "SL10" Vinyl Horizontal Sliding Window Configuration: XO Glazing: Insulating Glass (Annealed) Frame: W-1816mm(71.5") H-1816mm(71.5") Panel: W-908mm(35.75") H-1759mm(69.25") DLO: W-816mm(32.13") H-1740mm(68.5")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08	Class LC-PG25 1816 x 1816 (72 x 72)-HS Design Pressure: ±1200 Pa (25 psf) Water Penetration Resistance Test Pressure: 180 Pa (3.76 psf)

Product Tested By: Architectural Testing, Inc.
Report No: D5922.05-501-47
Expiration Date: **March 31, 2028**

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com