

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013665-R1
DATE: 03/23/2017
CERTIFICATION PROGRAM: Structural
COMPANY: SL Westwood
CODE: 2301-1
REVISION DATE: 11/28/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
SL Westwood Design S de RL de CV Buena Vista s/n Nucleo Agrario Cabo San Lucas, B.C.S., Mexico 23472	“Front Row Hurricane Shutters” Non-Porous Polypropylene Hurricane Storm Panel Single Panel System Configuration: O Frame: W-1219mm(48") H-3048mm(120") Panel: W-1207mm(47.5") H-3035mm(119.5")

SPECIFICATION	PRODUCT RATING
ASTM E330-02 ASTM E1886-05 ASTM E1996-09 TAS 201/202/203-94	Design Pressure: 3112 Pa (65 psf) Positive Design Pressure: 3112 Pa (65 psf) Negative Design Pressure: 3591 Pa (75 psf) Wind Zone 4 - Missile Level D Large Missile Impact Rated

Product Tested By: Testing Evaluation Laboratories, Inc.
Report No: TEL 07551754/TEL 07551755/TEL 07551756
Expiration Date: **February 28, 2025**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com