# NOTICE OF PRODUCT CERTIFICATION

**CERTIFICATION NO:** NI013703.06-R2
**DATE:** 05/05/2017
**CERTIFICATION PROGRAM:** Structural
**COMPANY:** Soft-Lite
**CODE:** 2336-1
**REVISION DATE:** 03/12/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|---|
| **Soft-Lite Windows**<br>**10250 Phillip Parkway**<br>**Streetsboro, OH 44241** | **Series "Barcelona"**<br>**Vinyl Horizontal Sliding Window**<br>**(SSL 30I)**<br>Configuration: OX<br>Glazing: IG-1/8" Annealed Glass/Laminate-1/8" Annealed Glass/0.090" Saflex PVB Interlayer/1/8" Annealed Glass<br>Frame: W-1854mm(73") H-1219mm(48")<br>Sash: W-899mm(35.38") H-1100mm(43.31")<br>DLO: W-799mm(31.44") H-1000mm(39.38") |

| SPECIFICATION | PRODUCT RATING |
|---|---|
| **TAS 201/202/203-94** | **Design Pressure: ±2873 Pa (60 psf)**<br>**Positive Design Pressure: 2873 Pa (60 psf)**<br>**Negative Design Pressure: 3112 Pa (65 psf)**<br>**Water Penetration resistance Test Pressure: 431 Pa (9.0 psf)**<br>**Large Missile Impact Rated** |

Product Tested By: Testing Evaluation Laboratories, Inc.
Report No: TEL 03001829
Expiration Date: **March 31, 2027**

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.**
**4794 George Washington Memorial Highway**
**Hayes, VA 23072**
**Tel: (804) 684-5124**
**Email: nami@namiinc.com**