

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013707.04-R2  
DATE: 05/08/2017  
CERTIFICATION PROGRAM: Structural  
COMPANY: Atrium  
CODE: 2187-1  
REVISION DATE: 07/26/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Atrium Companies, Inc.</b> <b>300 Welcome Center Blvd.</b> <b>Welcome, NC 27374</b>	<b>Series "700"</b> <b>Vinyl Shaped Fixed Window</b> <b>w/Finless Installation</b>  Configuration: O Glazing: Insulating Glass (Annealed)  Frame: W-1219mm(48") H-1219mm(48") DLO: W-1118mm(44") H-1219mm(44")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class LC-PG50 1219 x 1219* (48 x 48*)-FW</b> <b>Design Pressure: ±2400 Pa (50 psf)</b> <b>Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-110-19909-1/NCTL-110-19908-1/W-1996  
Expiration Date: **February 28, 2028**

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)