NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI013805-R2**
DATE:	**08/03/2017**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Quaker**
CODE:	**031-1**
REVISION DATE:	**02/08/2021**

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Quaker Window Products **504 Highway 63 South** **Freeburg, MO 65035**	**Series "M600 Modern-Vu"** **Aluminum Awning Window** Configuration: X Glazing: Insulating Glass (Annealed) Frame: W-1219mm(36") H-1829mm(84") Vent: W-873mm(34.38") H-2089mm(82.25") DLO: W-762mm(30") H-1975mm(77.75")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08	**Class AW-PG70 914 x 2134 (36 x 84)-AP** **Design Pressure: ±3360 Pa (70 psf)** **Water Penetration Resistance Test Pressure: 580 Pa (12.11 psf)**

Product Tested By: Architectural Testing, Inc.
Report No: H0890.01-801-47/G3077.01-801-47
Expiration Date: **May 31, 2031**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122