

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013824-R2`  
**DATE:** 08/24/2017  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Maxim  
**CODE:** 1256-1  
**REVISION DATE:** 05/15/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Maxim Industries, Inc.</b> <b>201 Longhorn Road</b> <b>Fort Worth, Texas 76179</b>	<b>Series "DGCM 2017"</b> <b>Aluminum Skylight</b>  Configuration: O  Glazing: IG - 1/4" Tempered Glass/1/8" Annealed Glass/0.090" DuPont Sentry Glass Interlayer/1/8" Annealed Glass  Frame: W-1562mm(61.5") H-1562mm(61.5") DLO: W-1448mm(57") H-1448mm(57")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>ASTM E1886-13a/E1996-12</b> <b>TAS 201/202/203-94</b>	<b>Class CW-PG100 1549 x 1549 (61 x 61)-SKG</b> <b>Design Pressure: 4788 Pa (100 psf)</b> <b>Water Penetration Resistance Test Pressure: 718 Pa (15 psf)</b> <b>Wind Zone 4 - Missile Level D</b> <b>Large Missile Impact Rated</b>

Product Tested By: Architectural Testing, Inc.  
Report No: H0993.01-801-18/H0993.02-801-18/H0993.01-801-18  
Expiration Date: May 31, 2028

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023