

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013835.01-R4
DATE: 10/16/2017
CERTIFICATION PROGRAM: Structural
COMPANY: Boise Cascade
CODE: 1879-1
REVISION DATE: 03/04/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Boise Cascade, LLC 8260 Armstrong Road Milton, FL 32583	“Fiber-Classic/Smooth-Star” Glazed In-Swing Fiberglass Side-Hinged Door w/Sidelites Configuration: OXO Lip-Lite Continuous Out-Swing Double Bore Frame: W-1740mm(68.5") H-2057mm(80.97") Panel: W-910mm(35.94") H-2008mm(79.07") SLT: W-354mm(13.94") H-2008mm(79.07")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 CSA A440S1-09	Class R-PG40 1740 x 2057 (69 x 81)-SHD Design Pressure: ±1920 Pa (40 psf) Water Penetration Resistance Test Pressure : 580 Pa (12.11 psf) Canadian Air Infiltration/Exfiltration Level: A3

Product Tested By: Architectural Testing, Inc.
Report No: D8540.01.01-501-47
Expiration Date: March 31, 2027

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023