

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013874-R4  
DATE: 10/16/2017  
CERTIFICATION PROGRAM: Structural  
COMPANY: Boise Cascade  
CODE: 1879-1  
REVISION DATE: 04/21/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Boise Cascade, LLC</b> <b>8260 Armstrong Road</b> <b>Milton, FL 32583</b>	<b>“Therma-Tru Smooth-Star/Fiber-Classic”</b>  <b>Opaque In-Swing Fiberglass</b>  <b>Side-Hinged Door</b>  Configuration: X  Frame: W-953mm(37.5")      H-2082mm(82") Panel: W-908mm(35.75")      H-2007mm(79")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class R-PG65 953 x 2082 (38 x 82)-LW SHD</b> <b>Design Pressure: 3120 Pa (65 psf)</b> <b>Negative Design Pressure: 3840 Pa (80 psf)</b> Water Penetration Resistance Test Pressure: 290 Pa (6.06 psf) <b>Canadian Air Infiltration/Exfiltration Level: A3</b>

Product Tested By: Architectural Testing, Inc.  
Report No: B5688.02-501-47  
Expiration Date: May 31, 2029

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023