

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013953.03-R1  
**DATE:** 02/06/2018  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Rogue Valley  
**CODE:** 671-1  
**REVISION DATE:** 03/29/2021

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Rogue Valley Door</b> <b>123 Northeast Beacon Drive</b> <b>Grants Pass, OR 97526</b>	<b>Glazed Inswing Wood</b> <b>Side Hinged Door Assembly</b>  Configuration: X Glazing: IG-Ext-5/32" Tempered Glass/3/16" Annealed Glass/0.090" SentryGlas by Kuraray/ 3/16" Annealed Glass  Frame: W-1108mm(43.63") H-3099mm(122") Panel: W-1065mm(41.94") H-3027mm(119.19") DLO: W-784mm(30.88") H-1953mm(76.88")

SPECIFICATION	PRODUCT RATING
<b>ASTM E330-02/E331-00/E283-04</b> <b>ASTM E1886-05/E1996-09</b>	<b>Design Pressure: +65/-75 psf</b> <b>Water Penetration Resistance Test Pressure: 0 Pa (0 psf)</b> <b>Wind Zone 4 - Missile Level D</b>

Product Tested By: Testing Evaluation Laboratories, Inc.  
Report No: TEL 01741814/TEL 01701815  
Expiration Date: March 31, 2026

A handwritten signature in black ink, appearing to be "Shi".

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122