NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI014114-R1
DATE: 06/11/2018
CERTIFICATION PROGRAM: Structural
COMPANY: Guangzhou Alufront
CODE: 2413-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Guangzhou Alufront Aluminium Co., Ltd. **1F, C Building, No 12 Fucong Road** **Taiping Town, Conghua District,** **Guangzhou, Guangdong, China 510990**	**Series "ALU-ST1000"** **Aluminum Casement Window** Configuration: X Glazing: Insulating Glass (Tempered) Frame: W-610mm(24") H-1499mm (59") Sash: W-570mm(22.44") H-1456mm(57.31") DLO: W-398mm(15.69") H-1287mm(50.69")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	**Class R PG15 610 x 1499 (24 x 59)-C** **Design Pressure: ±718 Pa (15 psf)** **Positive Design Pressure: 1676 Pa (35 psf)** **Negative Design Pressure: 1676 Pa (35 psf)** **Water Penetration Resistance Test Pressure: 140 Pa (2.92 psf)**

Product Tested By: Fenestration Testing Laboratory, Inc.
Report No: FTL 10215
Expiration Date: **May 31, 2032**

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com