NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI014145.01-R3**
DATE:	**07/11/2018**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Eastern Arch**
CODE:	**1783-1**
REVISION DATE:	**01/14/2026**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eastern Architectural Systems **16341 Domestic Avenue** **Ft. Myers, FL 33912**	**Series "7000"** **Aluminum Sliding Glass Pocket Door** Configuration: XXXX Glazing: Monolithic - 3/16" Annealed Glass/0.090" Eastman Saflex PVB Interlayer/3/16" Annealed Glass or IG - 3/16" Tempered Glass/3/16" Annealed Glass/0.090" Eastman Saflex PVB Interlayer/3/16" Annealed Glass Frame: W-5271mm(207.5") H-2438mm(96") DLO: W-1127mm(44.38") H-2203mm(86.75")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	**Design Pressure: ±2873 Pa (60 psf)** **Water Penetration Resistance Test Pressure: 431 Pa (9.0 psf)** **Large Missile Impact Rated**

Product Tested By: Blackwater Testing, Inc.
Report No: BT-EMS-17-003
Expiration Date: **April 30, 2027**

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com