

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014146-R1
DATE: 07/11/2018
CERTIFICATION PROGRAM: Structural
COMPANY: Air Master
CODE: 2142-1
REVISION DATE: 08/17/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p>Air Master Awning, LLC Road PR #2 interior KM 56.7 Barceloneta, PR 00617</p>	<p style="text-align: center;">Series "Continental" Aluminum Fixed Window</p> <p style="text-align: center;">Configuration: O Glazing: IG-1/4 Annealed Glass/3/16" Annealed Glass/0.090" Eastman Saflex Interlayer/3/16" Annealed Glass or Monolithic - 3/16" Annealed Glass/0.090" Eastman Saflex Interlayer/3/16" Annealed Glass</p> <p>Frame: W-914mm(36") H-1829mm(72") Panel: W-857mm(33.75") H-1772mm(69.75") DLO: W-730mm(28.75") H-1619mm(63.75")</p>

SPECIFICATION	PRODUCT RATING
<p>ASTM E330-14 ASTM E1886-05/E1996-09 TAS 201/202/203-94</p>	<p>Design Pressure: ±3352 Pa (70 psf) Water Penetration Resistance Test Pressure: 510 Pa (10.65 psf) Wind Zone 4 - Missile Level D Large Missile Impact Rated</p>

Product Tested By: Underwriters Laboratory, LLC
 Report No: SV31038-20180531
 Expiration Date: **May 31, 2032**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124
nami@namiinc.com