NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI014231-R3
DATE: 10/04/2018
CERTIFICATION PROGRAM: Structural
COMPANY: Wincore
CODE: 1640-1
REVISION DATE: 02/23/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wincore Window Company, LLC **250 Staunton Turnpike** **Parkersburg, VA 26104**	**Opaque Inswing Fiberglass** **Side-Hinged Door** **w/Transom** **"Non-Impact"** Configuration: O/X Glazing: Insulating Glass (Tempered) Frame: W-953mm(37.5") H-2788mm(109.75") Panel: W-908mm(35.75") H-2108mm(83") DLO: W-876mm(34.5") H-533mm(21")

SPECIFICATION	PRODUCT RATING
ASTM E330-02/14	**Design Pressure: ±3352 Pa (70 psf)** **Positive Design Pressure: 3352 Pa (70 psf)** **Negative Design Pressure: 3591 Pa (75 psf)**

Product Tested By: Testing Evaluation Laboratories, Inc.
Report No: TEL 02801770/W-1926
Expiration Date: **September 30, 2028**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com