

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI014276.01-R3  
**DATE:** 12/05/2018  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Dunbarton  
**CODE:** 1319-1  
**REVISION DATE:** 12/23/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Dunbarton Corporation</b> <b>555 Benton Industrial Road</b> <b>Camden, TN 38320</b>	<b>“Rediflex Steel Frame</b> <b>w/Opaque Outswing Fiberglass Door</b>  Configuration: X  Frame: W-997mm(39.25") H-2076mm(81.75") Panel: W-909mm(35.75") H-2007mm(79")

SPECIFICATION	PRODUCT RATING
<b>AAMA 1702.2-95/12</b> <b>Federal Manufactured Home Construction</b> <b>&amp; Safety Standard 3280.305</b> (applicable sections)	<b>Manufactured Housing-Passed</b> <b>Wind Zone III</b> <b>Design Wind Pressure Rating:</b> <b>+58/-58 psf</b>

Product Tested By: Testing Evaluation Laboratories, Inc.  
Report No: TEL 01092227/W-2144  
Expiration Date: November 30, 2026

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND**  
**MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)