NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI014373-R3
DATE: 03/28/2019
CERTIFICATION PROGRAM: Structural
COMPANY: Lippert
CODE: 206-1
REVISION DATE: 03/17/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Lippert Components, Inc. **5001 North Graham Street** **Charlotte, NC 28269**	**Series "3400"** **Vinyl Single Hung Window** Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-1219mm(48") H-2134mm(84") Sash: W-1165mm(45.88") H-1053mm(41.44") DLO: W-1105mm(43.5") H-976mm(38.44")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 **AAMA/WDMA/CSA 101/I.S.2/A440-11**	**Class R-PG50 1219 x 2134 (48 x 84)-H** **Design Pressure: ±2400 Pa (50 psf)** **Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)** **Canadian Air Infiltration/Exfiltration Level: A2**

Product Tested By: Intertek, PLC
Report No: I7187.01-501-44/W-2185
Expiration Date: **January 31, 2032**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com