

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014394.01-R1
DATE: 05/08/2019
CERTIFICATION PROGRAM: Structural
COMPANY: Eurocraft
CODE: 2409-1
REVISION DATE: 04/25/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eurocraft Industries, Inc. 7905 Northwest 77th Avenue Medley, FL 33166	Series "88MD Lift & Slide" Vinyl Sliding Glass Door Configuration: OX Glazing: IG- 1/4" Tempered Glass/3/16" Heat Strengthened Glass/0.090" Kuraray America SGP Interlayer/3/16" Heat Strengthened Glass or 1/4" Tempered Glass/3/16" Heat Strengthened Glass/0.090" Kuraray America PVB Interlayer/3/16" Heat Strengthened Glass or Monolithic- 1/4" Heat Strengthened Glass/0.090" Kuraray America SGP Interlayer/1/4" Heat Strengthened Glass or 1/4" Heat Strengthened Glass/0.090" Kuraray America PVB Interlayer/1/4" Heat Strengthened Glass Frame: W-2794mm(110") H-3048mm(120") DLO: W-1294mm(50.96") H-2834mm(111.58")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±5746 Pa (120 psf) Water Penetration Resistance Test Pressure: 862 Pa (18 psf) Large Missile Impact Rated

Product Tested By: Blackwater Testing, Inc.
Report No: BT-EUR-18-001
Expiration Date: April 30, 2024

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com