

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014395-R1  
DATE: 05/08/2019  
CERTIFICATION PROGRAM: Structural  
COMPANY: Eurocraft  
CODE: 2409-1  
REVISION DATE: 03/02/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Eurocraft Industries, Inc.</b> <b>7905 Northwest 77th Avenue</b> <b>Medley, FL 33166</b>	<b>Series "76AD" Vinyl</b> <b>Outswing French Door Assembly</b>  Configuration: XX Glazing: IG- 1/4" Tempered Glass/3/16" Heat Strengthened Glass/0.090" Kuraray America SGP Interlayer/3/16" Heat Strengthened Glass or 1/4" Tempered Glass/3/16" Heat Strengthened Glass/0.090" Kuraray America PVB Interlayer/3/16" Heat Strengthened Glass or Monolithic- 1/4" Heat Strengthened Glass/0.090" Kuraray America SGP Interlayer/1/4" Heat Strengthened Glass or 1/4" Heat Strengthened Glass/0.090" Kuraray America PVB Interlayer/1/4" Heat Strengthened Glass  Frame: W-2235mm(88") H-3048mm(120")  DLO: W-875mm(34.44") H-2796mm(110.06")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: ±5746 Pa (120 psf)</b> <b>Water Penetration Resistance Test Pressure: 862 Pa (18 psf)</b> <b>Large Missile Impact Rated</b>

Product Tested By: Blackwater Testing, Inc.  
Report No: BT-EUR-18-003  
Expiration Date: April 30, 2028

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)