

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014428-R2
DATE: 05/27/2019
CERTIFICATION PROGRAM: Structural
COMPANY: Crest Doors
CODE: 1125-1
REVISION DATE: 11/23/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namincertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Steve's and Sons, Inc. 211 New Laredo Highway San Antonio, TX 78211	Series "Glazed" Steel Outswing Door Configuration: X Glazing: Insulating Glass (Tempered) Frame: W-953mm(37.5") H-2045mm(80.5") Panel: W-908mm(35.75") H-2007mm(79") DLO: W-537mm(21.13") H-892mm(35.13")

SPECIFICATION	PRODUCT RATING
AAMA 1702.2-95/12 Federal Manufactured Home Construction & Safety Standard 3280.305	Manufactured Housing-Passed Wind Zone III Design Wind Pressure Rating: +58/-58 psf

Product Tested By: Testing Evaluation Laboratories, Inc.
Report No: TEL 01522276/W-2140
Expiration Date: April 30, 2027

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

nami@namiinc.com

NOPC-03/30/2024