

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014428.01-R1
DATE: 05/27/2019
CERTIFICATION PROGRAM: Structural
COMPANY: Crest Doors
CODE: 1125-1
REVISION DATE: 06/27/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Steve's and Sons, Inc. 211 New Laredo Highway San Antonio, TX 78211	Series "Glazed" Steel Inswing Door Configuration: X Glazing: Insulating Glass (Tempered) Frame: W-953mm(37.5") H-2070mm(81.5") Panel: W-908mm(35.75") H-2007mm(79") DLO: W-537mm(21.13") H-892mm(35.13")

SPECIFICATION	PRODUCT RATING
AAMA 1702.2-95 Federal Manufactured Home Construction & Safety Standard 3280.305	Manufactured Housing-Passed Wind Zone III Design Wind Pressure Rating: +58/-58 psf

Product Tested By: Testing Evaluation Laboratories, Inc.
Report No: TEL 01522275
Expiration Date: April 30, 2025

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com