NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI014470.06-R1**
DATE:	**08/01/2019**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Plastpro**
CODE:	**1108-1**
REVISION DATE:	**03/19/2024**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Plastpro, Inc. **4747 Kister Court** **Ashtabula, OH 44004**	**Outswing Glazed Fiberglass** **Side Hinged Door** **(w/Glazed Transom)** Configuration: O/X Glazing: Insulating Glass (Tempered) Frame: W-950mm(37.4") H-2706mm(106.54") Panel: W-906mm(35.67") H-2017mm(79.41") DLO: W-530mm(20.87") H-1597mm(62.87")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08 **AAMA 1304-02** **A440S1-09**	**Class R-PG35 950 x 2706 (37 x 107)-LW SHD** **Design Pressure: ±1680 Pa (35 psf)** **Water Penetration Resistance Test Pressure: 140 Pa (2.90 psf)** **Forced Entry Resistance: Passed** **Canadian Air Infiltration/Exfiltration Level: A3**

Product Tested By: Air-Ins, Inc.
Report No: AI-03950-G1
Expiration Date: **August 31, 2028**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com