NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014553.04-R1

DATE: 11/19/2019

CERTIFICATION PROGRAM: Structural

COMPANY: Plyco

CODE: 765-1

REVISION DATE: 09/26/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Plyco Corporation	"4070 Series 20 EV"
dba Modern Door Corporation	Full-Lite Out-Swing Steel
500 Industrial Road/PO Box 386	Side-Hinged Door
Elkhart Lake, WI 53020	w/Panic Bar Hardware Configuration: X Glazing: Insulating Glass (Tempered)
	Frame: W-1318mm(51.88") H-2169mm(85.38")
	Panel: W-1213mm(47.75") H-2111mm(83.13")
	DLO: W-559mm(22") H-1524mm(60")

SPECIFICATION	PRODUCT RATING
ASTM E330/E330M-14	Design Pressure: 960 Pa (20 psf) Positive Design Pressure: 1200 Pa (25 psf) Negative Design Pressure: 960 Pa (20 psf)

Product Tested By: Element Materials Technology, Inc.

Report No: ESP031518P-2458.7 Expiration Date: **August 31, 2026**

Administrator's Signature: ____

NATIONAL ACCREDITATION & MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124 nami@namiinc.com