

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014824-R2
DATE: 04/20/2020
CERTIFICATION PROGRAM: Structural
COMPANY: Fortress Screen
CODE: 2631-1
REVISION DATE: 04/16/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Fortress Screens, LLC 2251 Topline Way Brooksville, FL 34604	Series "28FX" Aluminum Framed Impact Screen Configuration: O Screen Fabric: 304 Stainless Steel Frame: W-1562mm (61.5") H-3670mm (144.5") DLO: W-1435mm (56.5") H-3543mm (139.5")

SPECIFICATION	PRODUCT RATING
TAS 202-94 (Structural Only) TAS 201/203-94	Design Pressure: +80/-70.5 psf Large Missile Impact Rated

Product Tested By: Certified Testing Laboratories, Inc.
Report No: CTLA-1366W-1
Expiration Date: April 30, 2025

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be 'S. D.' or similar, written over a horizontal line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023