

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI014894.01-R2  
**DATE:** 08/03/2020  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Atrium  
**CODE:** 2187-1  
**REVISION DATE:** 01/03/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Atrium Windows &amp; Doors</b> <b>300 Welcome Center Blvd.</b> <b>Welcome, NC 27374</b>	<b>Series "Atrium 150/160"</b> <b>Vinyl Single Hung Window</b>  Configuration: O/X Glazing: Insulating Glass (Annealed)  Frame: W-914mm(36") H-1878mm(73.94") Sash: W-835mm(32.88") H-916mm(36.06") DLO: W-783mm(30.81") H-859mm(33.81")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b> <b>CSA A440S1-17</b>	<b>Class LC-PG35 914 x 1880* (36 x 74*)-H</b> <b>Design Pressure: ±1680 Pa (±35 psf)</b> Water Penetration Resistance Test Pressure: 260 Pa (5.43 psf) Canadian Air Infiltration/Exfiltration Level: A2

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-110-23375-1/B8797.01-801-47/V-201022/W-2009  
Expiration Date: **May 31, 2028**

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)