

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014910-R3  
DATE: 07/20/2020  
CERTIFICATION PROGRAM: Structural  
COMPANY: Wojan  
CODE: 2087-1  
REVISION DATE: 02/01/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Wojan Window &amp; Door Corporation</b> <b>217 Stover Road</b> <b>Charlevoix, MI 49720</b>	<b>Series "4500 Hopper"</b> <b>Thermally-Broken Aluminum</b> <b>Hopper Window</b>  Configuration: X Glazing: Insulating Glass (Annealed)  Frame: W-1524mm(60") H-914mm(36") Vent: W-1470mm(57.88") H-860mm(33.88") DLO: W-1346mm(53") H-737mm(29")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class AW-PG70 1524 x 914 (60 x 36)-AP</b> <b>Design Pressure: ±3360 Pa (70 psf)</b> Water Penetration Resistance Test Pressure: 580 Pa(12.11 psf)

Product Tested By: Architectural Testing, Inc.  
Report No: B9310.01-602-44  
Expiration Date: **July 31, 2026**

A handwritten signature in black ink, appearing to be "S.M.D.", written over a horizontal line.

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC 03/30/2023