

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014913-R2  
DATE: 07/20/2020  
CERTIFICATION PROGRAM: Structural  
COMPANY: Wojan  
CODE: 2087-1  
REVISION DATE: 02/01/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Wojan Window &amp; Door Corporation</b> <b>217 Stover Road</b> <b>Charlevoix, MI 49720</b>	<b>Series "5500/5540"</b> <b>Thermally-Broken Aluminum</b> <b>Out-Swing Terrace Door</b>  Configuration: X Glazing: Insulating Glass (Annealed)  Frame: W-1219mm(48") H-2438mm(96") Panel: W-1113mm(43.81") H-2375mm(93.5") DLO: W-892mm(35.13") H-2156mm(84.88")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b>	<b>Class AW-PG40 1219 x 2438 (48 x 96)-ATD</b> <b>Design Pressure: ±1920 Pa (40 psf)</b> Water Penetration Resistance Test Pressure: 390 Pa(8.15 psf)

Product Tested By: Molimo, LLC  
Report No: 1717.01-106-11  
Expiration Date: **July 31, 2026**

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "Molimo", written over a horizontal line.

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)