

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI014922.01-R1  
**DATE:** 07/29/2020  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Prime Window  
**CODE:** 2287-1  
**REVISION DATE:** 03/14/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Prime Window Systems</b> <b>12775 East 38<sup>th</sup> Avenue</b> <b>Denver, CO 80239</b>	<b>Series "4500" Glazed</b> <b>Vinyl Out-Swing North American Frame</b> <b>Side-Hinged Door</b>  Configuration: X Glazing: Insulating Glass (Tempered)  Frame: W-914mm(36") H-2108mm(83") Panel: W-838mm(33") H-2051mm(80.75") DLO: W-610mm(24") H-1822mm(71.75")

8

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b>	<b>Class LC-PG80 914 x 2108 (36 x 83)-SHD</b> <b>Design Pressure: ±3840 Pa (±80 psf)</b> Water Penetration Resistance Test Pressure: 580 Pa (12.11 psf)

Product Tested By: Architectural Testing, Inc.  
Report No: D2429.08-109-47  
Expiration Date: June 30,2027

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023