

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI014935-R2  
**DATE:** 08/19/2020  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Medina Glass  
**CODE:** 982-1  
**REVISION DATE:** 01/27/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Medina Glass Block, Inc.</b> <b>dba The Glass Block Supply Company</b> <b>1213 Medina Road</b> <b>Medina, OH 44256</b>	<b>Series "Clear Choice Hurricane Impact Glass Block Windows w/Vinyl Frame"</b> <b>Fixed Glass Block Panels with PVC Receptor Frames</b>  Configuration: O Glazing: Monolithic Glass Block (3-3/16 Seves 1919/8 BSH)  Frame: W-1205mm(47.44") H-1205mm(47.44") DLO: W-1135mm(44.69") H-1135mm(44.69")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: ±3840 Pa (80 psf)</b> <b>Water Penetration Resistance Test Pressure: 580 Pa(12.12 psf)</b> <b>Large Missile Impact Rated</b>

Product Tested By: Intertek, PLC  
Report No: G9346.01-501-18  
Expiration Date: August 31, 2029

Administrator's Signature: \_\_\_\_\_ 

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)