

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014950-R1  
DATE: 09/02/2020  
CERTIFICATION PROGRAM: Structural  
COMPANY: Asselin  
CODE: 417-1  
REVISION DATE: 07/29/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Asselin, Inc.</b> <b>2870 Peachtree Road Northwest, #714</b> <b>Atlanta, GA 30305</b>	<b>Series "Fixed Type F"</b> <b>Wood Fixed Window</b>  Configuration: O Glazing: IG- (Laminated Annealed/Tempered)  Frame: W-1500mm(59.06") H-2100mm(82.69") Vent: W-1419mm(55.88) H-2007mm(79") DLO: W-1257mm(49.5") H-1845mm(72.63")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class R-PG35 1500 x 2108 (59 x 83)-FW</b> <b>Design Pressure: ±1680 Pa (±35 psf)</b> <b>Water Penetration Resistance Test Pressure: 252 Pa (5.25 psf)</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-4186-3  
Expiration Date: August 31, 2029

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "M.D.", written over a horizontal line.

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023