

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014983-R1  
DATE: 09/23/2020  
CERTIFICATION PROGRAM: Structural  
COMPANY: Shanghai  
CODE: 2590-1  
REVISION DATE: 11/18/2021

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Shanghai Superhouse</b> <b>Building Material Co., LTD</b> <b>Number 10, Hangfan Road</b> <b>Pudong New Area, Shanghai</b> <b>China 201314</b>	<b>Series "SPS65T"</b> <b>Aluminum Tilt &amp; Turn Window</b>  Configuration: X  Glazing: Insulating Glass (Tempered)  Frame: W-1222mm(48.11") H-1822mm(71.73") Sash: W-1146mm(45.12") H-1746mm(68.74") DLO: W-990mm(38.98") H-1590mm(62.60")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>CSA A440S1-17</b>	<b>Class CW-PG45 1222 x 1822 (48 x 72)-DAW</b> <b>Design Pressure: ±2160 Pa (±45 psf)</b> <b>Canadian Air Infiltration/Exfiltration Level: A3</b> <b>Water Penetration Resistance Pressure: 330 Pa (6.89 psf)</b>

Product Tested By: Intertek - Shanghai  
Report No: 170315003SHF-BP-2-R2  
Expiration Date: September 30, 2031

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)