

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015341
DATE: 07/25/2021
CERTIFICATION PROGRAM: Structural
COMPANY: CGI Impact
CODE: 2750-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p>CGI Impact Resistant Windows & Doors</p> <p>3780 West 104th Street</p> <p>Hialeah, FL 33018</p>	<p style="text-align: center;">Series "SH3100V" Impact Rated</p> <p style="text-align: center;">Vinyl Single Hung Window</p> <p style="text-align: center;">Configuration O/X</p> <p>Glazing: IG-Exterior-1/8" Annealed or 1/8" Tempered Glass/Interior-Laminate-1/8" Annealed Glass/0.045" Trosifol PVB by Kuraray/1/8" Annealed Glass OR IG-Exterior-1/8" Annealed or 1/8" Tempered Glass/Interior-Laminate-1/8" Heat Strengthened/0.045" Trosifol PVB by Kuraray/1/8" Heat Strengthened</p> <p>Frame: W-1372mm(54") H-1930mm(76")</p> <p>Sash: W-1310mm(51.56") H-938mm(36.94")</p> <p>DLO: W-1292mm(50.88") H-894mm(35.19")</p>

SPECIFICATION	PRODUCT RATING
<p style="text-align: center;">AAMA/WDMA/CSA 101/I.S.2/A440-17</p> <p style="text-align: center;">ASTM E1886-13a/19/E1996-17/20</p>	<p style="text-align: center;">Class LC-PG40 1372 x 1930 (54 x 76)-H</p> <p style="text-align: center;">Design Pressure: ±1915 Pa (±40 psf)</p> <p>Negative Design Pressure (w/sill riser): -2394 Pa (-50 psf)</p> <p>Water Penetration Resistance Test Pressure: 287 Pa (6 psf)</p> <p style="text-align: center;">With Sill Riser:</p> <p style="text-align: center;">Class LC-PG50 1372 x 1930 (54 x 76)-H</p> <p style="text-align: center;">Design Pressure: ±2394 Pa (±50 psf)</p> <p>Water Penetration Resistance Test Pressure: 359 Pa (7.5 psf)</p> <p style="text-align: center;">Wind Zone 2-Missile Level C</p>

Product Tested By: FTL-FL
 Report No: FTL 21-2043
 Expiration Date: **March 31, 2025**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
 MANAGEMENT INSTITUTE, INC.**
 4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124 Fax: (804) 684-5122