## NOTICE OF PRODUCT CERTIFICATION •



CERTIFICATION NO: NI013724.01-R1

DATE: 05/24/2017

CERTIFICATION PROGRAM: Structural

COMPANY: Solar

**CODE:** <u>872-1</u>

**REVISION DATE:** 04/26/2021

To verify that the "Notice of Product Certification" is valid, please visit <a href="www.NAMICertification.com">www.NAMICertification.com</a> to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status.

Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Solar Innovations, Inc.	Series "G3 - 3' x 10' Outswing"
31 Roberts Road	<b>Aluminum Folding Glass Wall</b>
Pine Grove, PA 17963	
	Configuration: XXXXXX Glazing: IG-1/4" Tempered Glass (Exterior)/ Laminate-3/16" Annealed Glass/0.090" Kuraray SentryGlas Plus Interlayer/3/16" Annealed Glass
	Frame: W-5722mm(225.28") H-3162mm(124.5")
	Panel: W-915mm(36.03") H-3048mm(120")
	DLO: W-743mm(29.25") H-2877mm(113.25")

SPECIFICATION	PRODUCT RATING
ASTM E1886-02/04/05/13a	Design Pressure: ±3360 Pa (70 psf)
ASTM E1996-02/04/06/09/12a/14a	Wind Zone 4 - Missile Level D

Product Tested By: National Certified Testing Laboratories

Report No: NCTL-110-19166-2 Expiration Date: January 31, 2026

Administrator's Signature:

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072 Tel: (804) 684-5124 Fax: (804) 684-5122