

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013788.02-R2  
**DATE:** 07/19/2017  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Soft-Lite  
**CODE:** 2336-1  
**REVISION DATE:** 06/03/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Soft-Lite Windows</b> <b>10250 Phillip Parkway</b> <b>Streetsboro, OH 44241</b>	<b>Series "PW30"</b> <b>Vinyl Fixed Window</b>  Configuration: O Glazing: Insulating Glass (Annealed)  Frame: W-1219mm(48") H-1600mm(63") DLO: W-1054mm(41.5") H-1435mm(56.5")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b>	<b>Class R-PG65 1219 x 1600 (48 x 63)-FW</b> <b>Design Pressure: ±3120 Pa (65 psf)</b> Water Penetration resistance Test Pressure: 470 Pa (9.82 psf)

Product Tested By: Farabaugh Engineering and Testing, Inc.  
Report No: T203-17  
Expiration Date: June 30, 2027

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)