

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015101-R4  
DATE: 12/31/2020  
CERTIFICATION PROGRAM: Fire  
COMPANY: JELD-WEN  
CODE: 1822-1  
REVISION DATE: 10/31/2023  
EXPIRATION DATE: 01/31/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>JELD-WEN</b> <b>3737 Lakeport Boulevard</b> <b>Klamath Falls, OR 97601</b>	<b>20-Minute Composite Wood Fire Door</b> <b>(Particleboard, Agristrand, Agri-Fiber or 22 pcf LDF Core)</b>  Manufacturer Specific Fire Doors for Single or Double Swing Installation in 20 Minute Locations  1/2" Minimum Latch Throw Single or Double Swing Only  <b>Maximum Size: 4'0" x 10'0"</b> <b>Minimum Thickness: 1-3/4"</b>

SPECIFICATION	PRODUCT RATING
<b>NFPA 252 (2012/2017)</b> <b>UL 10C (2009/2015/2016)</b> <b>UL 10B (2009/2015)</b> <b>UBC Standard 7-2 (1994/1997)</b> <b>CAN/ULC S104 (2010/2015)</b>	<b>20 Minute-Neutral/Positive Pressure With Hose Stream</b> <b>Category B - Additional Edge-Sealing System Required</b> <b>Category A - No additional Edge-Sealing System Required</b>

TEST REPORT
<b>Intertek Test Report No: 3125646COQ-004</b> <b>NAMI Waiver of Retest: W-1998/W-2028/W-2063/W-2090</b>

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)