

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015131.08
DATE: 12/21/2020
CERTIFICATION PROGRAM: Man Housing
COMPANY: Wausau Supply
CODE: 1644-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|--|---|
| Wausau Supply Company, Inc. 8011 Technology Drive Schofield, WI 54476 | Plastpro Glazed Fiberglass In-Swing Side Hinged Door w/Sidelites Configuration: OXO Glazing: Insulated Glass (Tempered) Frame: W-2242mm(88.25") H-2083mm(82") Panel: W-908mm(35.75") H-2013mm(79.25") DLO: W-629mm(24.75") H-1594mm(62.75") STP: Pos+2298 Pa (48 psf) Neg-2298 Pa (48 psf) |

| SPECIFICATION | PRODUCT RATING |
|---|--|
| AAMA 1702.2-95 Federal Manufactured Home Construction & Safety Standard 3280.405 | Manufactured Housing-Passed Wind Zone II Design Wind Pressure Rating: +48/-48 psf |

Product Tested By: Testing Evaluation Laboratories, Inc.
Report No: TEL 01392196
Expiration Date: December 31, 2024

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122