NOTICE OF PRODUCT CERTIFICATION '



CERTIFICATION NO: NI015135

DATE: 01/04/2021

CERTIFICATION PROGRAM: Structural

COMPANY: Four Seasons

CODE: 1812-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

| COMPANY NAME AND ADDRESS | | PRODUCT DES | CRIPTION |
|----------------------------------|--|-----------------|------------------|
| Four Seasons Solar Products, LLC | Series "FSSW8000" | | |
| 5005 Veterans Memorial Highway | Vinyl Horizontal Sliding Window | | |
| Holbrook, NY 11741 | Configuration: XX Glazing: Insulating Glass (Tempered) | | |
| | Frame: | W-1803mm(71") | H-1499mm(59") |
| | Sash: | W-899mm(35.38") | H-1419m(55.88") |
| | DLO: | W-803mm(31.63") | H-1324mm(52.13") |

| SPECIFICATION | PRODUCT RATING |
|--|--|
| AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 | Class LC-PG35 1803 x 1499 (71 x 59)-HS Design Pressure: ±1680 Pa (±35.0 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf) Canadian Air Infiltration/Exfiltration Level: A2 |

Product Tested By: Molimo Architectural Product Testing, Inc.

Report No: 2478.02-109-12 Expiration Date: **November 30, 2024**

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072 Tel: (804) 684-5124 Fax: (804) 684-5122