

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015142-R1
DATE: 01/13/2021
CERTIFICATION PROGRAM: Fire
COMPANY: JELD-WEN
CODE: 1822-1
REVISION DATE: 03/04/2021
EXPIRATION DATE: 01/31/2025

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	"Warm Springs 60-90 Minute" Profiled Panel Composite Fire Doors Manufacturer Specific Fire Doors for Single or Double Swing Installation in 60-90 Minute Locations 1/2" Minimum Latch Throw Single or Double Swing Only 60-Minute Single Maximum Size: 3'0" x 8'0" 60-Minute Double Maximum Size: 6'0" x 7'0" 90-Minute Single Maximum Size: 3'0" x 7'0" 90-Minute Double Doors Not Allowed Minimum Thickness: 1-3/4"

SPECIFICATION	PRODUCT RATING
NFPA 252 (2012/2017) UL 10C (2009/2016) CAN/ULC S104 (2015)	60-90 Minute-Positive Pressure With Hose Stream Category B - Additional Edge-Sealing System Required

TEST REPORT
Intertek Test Report No: 100965966COQ-002A, 100618964COQ-002 NAMI Waiver of Retest: W-1985

Administrator's Signature: 

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Fax: (804) 684-5122