

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015142-R4  
DATE: 01/13/2021  
CERTIFICATION PROGRAM: Fire  
COMPANY: JELD-WEN  
CODE: 1822-1  
REVISION DATE: 05/10/2023  
EXPIRATION DATE: 01/31/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>JELD-WEN</b>  <b>3737 Lakeport Boulevard</b>  <b>Klamath Falls, OR 97601</b>	<b>"Warm Springs 60-90 Minute"</b>  <b>Profiled Panel Composite Fire Doors</b>  Manufacturer Specific Fire Doors for Single or Double Swing Installation in 60-90 Minute Locations  1/2" Minimum Latch Throw Single or Double Swing Only  <b>60-Minute Single Maximum Size: 3'0" x 8'0"</b> <b>60-Minute Double Maximum Size: 6'0" x 7'0"</b> <b>90-Minute Single Maximum Size: 3'0" x 7'0"</b> <b>90-Minute Double Doors Not Allowed</b> <b>Minimum Thickness: 1-3/4"</b>

SPECIFICATION	PRODUCT RATING
<b>NFPA 252 (2012/2017)</b> <b>UL 10C (2009/2016)</b> <b>CAN/ULC S104 (2015)</b>	<b>60-90 Minute-Positive Pressure</b> <b>With Hose Stream</b> <b>Category B - Additional Edge-Sealing</b> <b>System Required</b>

TEST REPORT
<b>Intertek Test Report No: 100965966COQ-002A, 100618964COQ-002</b> <b>NAMI Waiver of Retest: W-1985/W-1989/W-1998/W-2028</b>

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "Shi" or similar, written over a horizontal line.

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

**4794 George Washington Memorial Highway**

**Hayes, VA 23072**

**Tel: (804) 684-5124**

**[nami@namiinc.com](mailto:nami@namiinc.com)**